NJ13.1 - Small mains charger

Type designation: **NJ13.1**
PN (RN): **7025.100.11**

The small mains charger is used to charge a single RF13.13 (LiIon) battery pack.

Technical parameters

Supply voltage	mains 100 V to 240 V
Current consumption from mains	
• at supply voltage 100 V	max. 400 mA
• at supply voltage 240 V	max. 200 mA
Charging current	max. 2500 mA
Termination of charging	
• when the charging current reaches	0 mA to 50 mA
• after time expiration	max. 22 hours
Operating temperatures for charging	0 °C to +35 °C
Dimensions [w x h x d]	85 mm x 65 mm x 155 mm
Weight (including power cable)	0.7 kg

Documentation

NJ13.1 operating instructions	7025.010.12

Set

Type designation	PN (RN)	Name

MESIT asd, s.r.o.
Sokolovská 573, Mařatice
686 01 Uherské Hradiště
Česká republika

asd@mesit.cz
T +420 572 522 200
F
www.mesitasd.cz

NJ13.1	7025.000.11	Small mains charger set

Battery packs

Type designation	PN (RN)	Name
RF13.13	7000.100.22	Rechargeable battery pack

MESIT asd, s.r.o.
Sokolovská 573, Mařatice
686 01 Uherské Hradiště
Česká republika

asd@mesit.cz
T +420 572 522 200
F
www.mesitasd.cz